## <u>NEW ENGLAND BRIGADE</u> <u>ARTILLERY DRILL INSPECTION FORM</u>

DATE:	BATTERY:
Posítio	n / Cannoneer # 1:
2. ( ) 3. ( ) 4. ( ) 5. ( ) 6. ( ) 7. ( ) 8. ( )	Advances wet sponge using proper footwork and positioning at the muzzle Sponges all the way to the breech, with eyes / ears oriented towards the vent Twists sponge around fully in breech to extinguish any / all embers Places rammer head at the muzzle to indicate 'Loading' Rams charge firmly, but gently using an under hand, one handed grip Charge not rammed too softly, nor slammed down to breech Rammer placed on wheel hub to indicate loaded gun Assumes the proper "Ready" position, body and rammer held at an angle away from muzzle and watching muzzle Regains an upright position after firing to be ready for wet sponging Stays behind muzzle as much as possible, especially when firing, to minimize exposure
Posítio	n / Cannoneer # 2:
2. ( ) . 3. ( )	Waits for vent to be tended and stopped Handles the worm gently but firmly using underhand method Gently eases worm to base of the breech and twists the worm clockwise to extract material
5. ( ) 6. ( ) 7. ( )	Does not slam worm down into breech face Dry sponges after # 1 wet sponges Twists sponge around fully in breech to mop up any excess water Ready's / positions himself to accept charge from # 5; front towards limber
9. ( )	Takes charge from haversack, protects it with his body, and inserts it into muzzle Does so in a timely manner to diminish any risk, without touching wheel Stays behind muzzle during ramming and when gun is firing to minimize exposure
Posítío	n / Cannoneer # 3:
2. ( )	Tending of the vent, entirely with left hand to minimize exposure  Brushes vent after each firing thoroughly
4. ( ) 5. ( ) 6. ( ) 7. ( ) 8. ( ) 9. ( )	Wipes vent Stops vent thoroughly with thumbstall (ceasefire is called if air is heard escaping vent) Continues to stop vent until gun is loaded, then steps clear of wheel Upon command of "Ready", steps back in towards vent to pierce the charge Remains to assist #4 by holding lanyard with two fingers on the breech top Remains there until nodded out by #4 Steps in to tend the vent immediately after gun fires Keeps left hand, face and upper body away from vent to minimize exposure

## <u>NEW ENGLAND BRIGADE</u> <u>ARTILLERY DRILL INSPECTION FORM</u>

Position / Cannoneer # 4:				
<ol> <li>( ) Has friction primer attached to lanyard ready to insert into vent</li> <li>( ) Inserts primer into vent and waits for # 3 to hold lanyard with two fingers</li> <li>( ) Carefully steps outside wheel, extending lanyard to taut position</li> <li>( ) Nods # 3 gunner out when ready</li> <li>( ) Turns to inform Chief of Piece that gun is ready to fire</li> <li>( ) Pulls lanyard sharply and with enough force to fire it on the first pull</li> <li>( ) Always uses only right hand near the vent and keeps hand, face and upper body away from vent to minimize exposure</li> </ol>				
Posítion / Cannoneer # 5:				
<ol> <li>( ) Takes position halfway between gun and limber box on left side of gun</li> <li>( ) Wears haversack over left shoulder, with bag on right side</li> <li>( ) Remains attentive to Chief of Piece to advance round when called upon</li> <li>( ) Brings haversack, and opens it for # 2, to take round out easily</li> <li>( ) Never touches round</li> <li>( ) Returns to limber box for next round</li> </ol>				
Posítions / Cannoneers #'s 6, 7 & 8:				
<ol> <li>( ) Tend to the limber box as needed</li> <li>( ) Are sure to keep limber box lid open only when necessary</li> <li>( ) Ensures limber box is closed when ANY gun is firing</li> <li>( ) Keeps records / inventory of rounds and primers fired / remaining</li> </ol>				
Chief of Piece: (regardless of rank)				
<ol> <li>( ) Supervises all aspects of Drilling on, and Firing of, the piece</li> <li>( ) Gives all commands to work the piece</li> <li>( ) Acts as primary safety officer</li> <li>( ) Has on their person a "Misfire" Kit or Pouch</li> <li>( ) Is knowledgable of all aspects of firing</li> <li>( ) Is responsible for training and actions of crew</li> </ol>				
Battery Commander: (regardless of rank)				
<ol> <li>( ) Demonstrates overall Command of Battery</li> <li>( ) Demonstrates overall Responsibility of Battery</li> <li>( ) Demonstrates overall Safety concerns of Battery</li> <li>( ) Demonstrates overall Knowledge of Battery</li> <li>( ) Demonstrates overall knowledge of Drill and Procedures,</li> <li>( ) Manages condition of gun, limber and equipment in good repair</li> </ol>				

## <u>NEW ENGLAND BRIGADE</u> <u>ARTILLERY DRILL INSPECTION FORM</u>

Inspection Discrepancy Notes:
Position / Cannoneer # 1:
I.
2.
3.
4.
5.
6.
7.
8.
9.
10.
Posítion / Cannoneer # 2:
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
Posítion / Cannoneer # 3:
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
Posítion / Cannoneer # 4:
1.
2.
3⋅
4.
5.
6.

7.

## NEW ENGLAND BRIGADE ARTILLERY DRILL INSPECTION FORM

Posítion / Cannoneer # 5:							
1. 2. 3. 4. 5. 6.							
Posítions / Cannoneers # 6, 7, 8:							
1. 2. 3. 4.							
Chief of Piece:							
1. 2. 3. 4. 5. 6.							
Battery Commander:							
1. 2. 3. 4. 5. 6.							
DRILL INSPECTED BY:	<b>D</b> ате:	Pass:	FAIL:				